ELSEVIER

Wear 218 (1998) 261

WEAR

Author Index of Volume 218

Abdel-Rahman, A.A., 216
Ahmed, S.M., 119
Arnell, R.D., 223
Attia, N.A., 172
Austin, L.G., 15

Batchelor, A.W., 250
Beck, R.A., 145
Bell, T., 34
Blau, P.J., 66

Cassier, Z., 103
Chen, S., 153
Cheng, Z.M., 167
Cusano, C., 54

Ding, C.X., 167
Domiaa ≯ uez, J., 43
Dörfel, I., 84

El-Domiaty, A.A., 216
EL Mahdy, T.H., 172

Fu, Y., 250
Funkenbusch, P.D., 1

Ge, S.R., 232
Golini, D., 1

Hsu, S.M., 96
Hu, Y., 78, 244
Huang, J.Q., 167
Huang, L.P., 128

Jardret, V., 8
Jiang, J., 223
Jones, P., 96

Kato, K., 210, 237
Kong, Y., 159

Li, J., 128
Li, J.F., 167
Liu, C.R., 21
Liu, W., 78, 139, 153, 244
Liu, W.L., 128

Loh, N.L., 250
Loubet, J.L., 8

Mathia, T.G., 8
Mittal, S., 21
Mokhtar, M.O.A., 172
Moon, B., 210
Muñoz-Escalona, P., 103

Qiang, Y.H., 232

Saha, P.K., 179
Sheiretov, T., 54
Skopp, A., 84
Sun, Y., 34
Suzuki, M., 110

Takahashi, T., 1
Tan, S.H., 167
Terheci, M., 191
Tian, Y., 203
Truss, R.W., 145

Umehara, N., 210, 237

Wang, Y., 96
Wang, Y.Q., 128
Witke, K., 84
Wong, H.-C., 237
Woydt, M., 84

Xue, Q., 139
Xue, Q.J., 232

Yang, Z., 159
Yildirim, K., 15
Yoon, H., 54
Younes, Y.K., 172
Yu, L., 153
Yuan, Q., 159

Zahouani, H., 8
Zanoria, E.S., 66
Zhang, G., 159
Zhang, Z., 139
Zhou, Y., 1

Elsevier Science S.A.

ELSEVIER

Wear 218 (1998) 263–266

WEAR

Subject Index of Volume 218

Abrasive waterjet
maximum depth of cut for ceramics using abrasive waterjet technique, 216
Additive
study on lubricating mechanisms of $La(OH)_3$ nanocluster modified by compound containing nitrogen in liquid paraffin, 139
preparation of DDP-coated PbS nanoparticles and investigation of the antiwear ability of the prepared nanoparticles as additive in liquid paraffin, 153
Aerostatic bearing
static study of the porous bearings by the simplified finite element analysis, 203
Al-99.999
investigation of the temperature effects on induced impact pressure and cavitation erosion, 119
Al_2O_3
evaluation of thermally-sprayed ceramic coatings using a novel ball-on-inclined plane scratch method, 96
Alcohols
tribological properties of alcohols as lubricating additives for aluminum-on-steel contact, 244
Aluminum
tribological evaluation of some aluminum-based materials in lubricant/refrigerant mixtures, 54
Aluminum alloy
study on fretting wear behavior of laser treated coatings by X-ray imaging, 250
Aluminum extrusion
thermodynamics and tribology in aluminum extrusion, 179
Aluminum-on-steel
tribological properties of alcohols as lubricating additives for aluminum-on-steel contact, 244

Billet
thermodynamics and tribology in aluminum extrusion, 179
Built-up-edge
influence of the critical cutting speed on the surface finish of turned steel, 103

1C–3Cr steel
microscopic wear mechanisms of Ti ion-implanted 1C–3Cr steel, 210
Cavitation erosion
investigation of the temperature effects on induced impact pressure and cavitation erosion, 119
Ceramic-materials cutting
maximum depth of cut for ceramics using abrasive waterjet technique, 216
Ceramics
wear engineering oxides/anti-wear oxides, 84
evaluation of thermally-sprayed ceramic coatings using a novel ball-on-inclined plane scratch method, 96
the effect of surface roughness on friction of ceramics sliding in water, 237
Chemical structure
effect of chemical structure of organo-chlorine compounds on the lubricity of Al2024 against steel, 78
Coatings
evaluation of thermally-sprayed ceramic coatings using a novel ball-on-inclined plane scratch method, 96
study on the structure and wear resistance of two-step salt bath nitrocarburized steel, 232
Conformal contacts
a theoretical and experimental study on the dynamics of sliding bodies with dry conformal contacts, 172
Conjugation
effect of chemical structure of organo-chlorine compounds on the lubricity of Al2024 against steel, 78
Contact fatigue
cyclic variations in friction forces and contact stresses during fretting fatigue, 43
Corrosion
sliding wear characteristics of low temperature plasma nitrided 316 austenitic stainless steel, 34
Critical cutting speed
influence of the critical cutting speed on the surface finish of turned steel, 103

DDP-PbS nanoparticles
preparation of DDP-coated PbS nanoparticles and investigation of the antiwear ability of the prepared nanoparticles as additive in liquid paraffin, 153
Diamond-like carbon (DLC) coatings
the effect of sliding speed on wear of diamond-like carbon coatings, 223
Die bearing surface
thermodynamics and tribology in aluminum extrusion, 179
Dry contact
a theoretical and experimental study on the dynamics of sliding bodies with dry conformal contacts, 172
Dry friction
wear engineering oxides/anti-wear oxides, 84

Effect of sliding speed
the effect of sliding speed on wear of diamond-like carbon coatings, 223
Elastic and plastic deformation
understanding and quantification of elastic and plastic deformation during a scratch test, 8
EPMA
study on lubricating mechanisms of $La(OH)_3$ nanocluster modified by compound containing nitrogen in liquid paraffin, 139
Erosion mechanism
the blast erosion behaviour of ultrahigh molecular weight polyethylene, 128

Elsevier Science S.A.

Erosive pressure
investigation of the temperature effects on induced impact pressure and cavitation erosion, 119
Erosive wear
the blast erosion behaviour of ultrahigh molecular weight polyethylene, 128
Experimental design
the effect of sliding speed on wear of diamond-like carbon coatings, 223

Fatigue
cyclic variations in friction forces and contact stresses during fretting fatigue, 43
investigation of the temperature effects on induced impact pressure and cavitation erosion, 119
Films
comparison of tribological characteristics of sputtered MoS_2 films coated with different apparatus, 110
Finite element
static study of the porous bearings by the simplified finite element analysis, 203
Fracture mechanics
wear by surface fatigue on a new foundation. Part II. particle detachment mechanisms and quantitative aspects, 191
Fretting fatigue
cyclic variations in friction forces and contact stresses during fretting fatigue, 43
Fretting wear
study on fretting wear behavior of laser treated coatings by X-ray imaging, 250
Friction
friction and wear characteristics of mullite, ZTM and TZP ceramics, 159
a theoretical and experimental study on the dynamics of sliding bodies with dry conformal contacts, 172
study on the structure and wear resistance of two-step salt bath nitrocarburized steel, 232
the effect of surface roughness on friction of ceramics sliding in water, 237
Friction and wear behaviors
tribological properties of alcohols as lubricating additives for aluminum-on-steel contact, 244

Ground surface
effects of machined surface condition on the repeated impact behavior of silicon nitride, 66

Hardened bearing steel
a method of modeling residual stresses in superfinish hard turning, 21
Hard turning
a method of modeling residual stresses in superfinish hard turning, 21
High temperature
wear engineering oxides/anti-wear oxides, 84
HVOF
evaluation of thermally-sprayed ceramic coatings using a novel ball-on-inclined plane scratch method, 96
Hydrodynamic lubrication
tribological properties of silicon carbide under water-lubricated sliding, 167

Image analysis
wear by surface fatigue on a new foundation. Part II. particle detachment mechanisms and quantitative aspects, 191
Impact wear
effects of machined surface condition on the repeated impact behavior of silicon nitride, 66
In situ observation
study on fretting wear behavior of laser treated coatings by X-ray imaging, 250
Ion-implantation
microscopic wear mechanisms of Ti ion-implanted 1C–3Cr steel, 210

$La(OH)_3$ nanocluster
study on lubricating mechanisms of $La(OH)_3$ nanocluster modified by compound containing nitrogen in liquid paraffin, 139
Laser alloying
study on fretting wear behavior of laser treated coatings by X-ray imaging, 250
Load capacity
static study of the porous bearings by the simplified finite element analysis, 203
Lubricant/refrigerant mixtures
tribological evaluation of some aluminum-based materials in lubricant/refrigerant mixtures, 54
Lubricious oxides
wear engineering oxides/anti-wear oxides, 84

Machining
effects of machined surface condition on the repeated impact behavior of silicon nitride, 66
Magnéli-phases
wear engineering oxides/anti-wear oxides, 84
Media, ceramic
the abrasive wear of cylindrical grinding media, 15
Media, cylindrical
the abrasive wear of cylindrical grinding media, 15
Microcracking
the blast erosion behaviour of ultrahigh molecular weight polyethylene, 128
Microcutting
the blast erosion behaviour of ultrahigh molecular weight polyethylene, 128
Microploughing
the blast erosion behaviour of ultrahigh molecular weight polyethylene, 128
Microstructure
study on the structure and wear resistance of two-step salt bath nitrocarburized steel, 232
Mills, tumbling
the abrasive wear of cylindrical grinding media, 15
Modelling
the effect of sliding speed on wear of diamond-like carbon coatings, 223
Mullite
friction and wear characteristics of mullite, ZTM and TZP ceramics, 159

Nitrides
study on the structure and wear resistance of two-step salt bath nitrocarburized steel, 232
Nitrocarburizing
study on the structure and wear resistance of two-step salt bath nitrocarburized steel, 232
Nitrogen
comparison of tribological characteristics of sputtered MoS_2 films coated with different apparatus, 110

Oil additives
effect of chemical structure of organo-chlorine compounds on the lubricity of Al2024 against steel, 78
Organo-chlorine
effect of chemical structure of organo-chlorine compounds on the lubricity of Al2024 against steel, 78

Plasma nitriding
sliding wear characteristics of low temperature plasma nitrided 316 austenitic stainless steel, 34
Plasma-sprayed
evaluation of thermally-sprayed ceramic coatings using a novel ball-on-inclined plane scratch method, 96
Plastic deformation
the blast erosion behaviour of ultrahigh molecular weight polyethylene, 128
Polyurethane–urea
effect of chemical structure on the wear behaviour of polyurethane–urea elastomers, 145
Porous bearing
static study of the porous bearings by the simplified finite element analysis, 203
Preston's coefficient
grinding of single crystal sapphire: workpiece roughness correlations, 1

Residual stress modeling
a method of modeling residual stresses in superfinish hard turning, 21
Run-in
the effect of surface roughness on friction of ceramics sliding in water, 237

Scratch hardness
understanding and quantification of elastic and plastic deformation during a scratch test, 8
SEM Tribosystem
microscopic wear mechanisms of Ti ion-implanted 1C–3Cr steel, 210
SiC
tribological properties of silicon carbide under water-lubricated sliding, 167
Silicon nitride
effects of machined surface condition on the repeated impact behavior of silicon nitride, 66
Single crystal sapphire
grinding of single crystal sapphire: workpiece roughness correlations, 1
Sliding
a theoretical and experimental study on the dynamics of sliding bodies with dry conformal contacts, 172
Sliding wear
the effect of sliding speed on wear of diamond-like carbon coatings, 223
Stainless
sliding wear characteristics of low temperature plasma nitrided 316 austenitic stainless steel, 34
Static study
static study of the porous bearings by the simplified finite element analysis, 203
Statistics
wear by surface fatigue on a new foundation. Part II. particle detachment mechanisms and quantitative aspects, 191
Stick–slip
a theoretical and experimental study on the dynamics of sliding bodies with dry conformal contacts, 172
Stress analysis
cyclic variations in friction forces and contact stresses during fretting fatigue, 43
Stress carrier
wear by surface fatigue on a new foundation. Part II. particle detachment mechanisms and quantitative aspects, 191
Structure
effect of chemical structure on the wear behaviour of polyurethane–urea elastomers, 145
Superfinishing
a method of modeling residual stresses in superfinish hard turning, 21
Surface defects
wear by surface fatigue on a new foundation. Part II. particle detachment mechanisms and quantitative aspects, 191
Surface fatigue
wear by surface fatigue on a new foundation. Part II. particle detachment mechanisms and quantitative aspects, 191
Surface modification
preparation of DDP-coated PbS nanoparticles and investigation of the antiwear ability of the prepared nanoparticles as additive in liquid paraffin, 153
microscopic wear mechanisms of Ti ion-implanted 1C–3Cr steel, 210
Surface morphology
study on the structure and wear resistance of two-step salt bath nitrocarburized steel, 232
Surface roughness
study on the structure and wear resistance of two-step salt bath nitrocarburized steel, 232
the effect of surface roughness on friction of ceramics sliding in water, 237

Temperature
investigation of the temperature effects on induced impact pressure and cavitation erosion, 119
Thermodynamics
thermodynamics and tribology in aluminum extrusion, 179
Tribochemical oxidation
tribological properties of silicon carbide under water-lubricated sliding, 167
Tribological properties
study on lubricating mechanisms of $La(OH)_3$ nanocluster modified by compound containing nitrogen in liquid paraffin, 139
tribological properties of silicon carbide under water-lubricated sliding, 167
Tribology
thermodynamics and tribology in aluminum extrusion, 179
Tribopolymer
effect of chemical structure of organo-chlorine compounds on the lubricity of Al2024 against steel, 78
Tribopolymer XPS and SEM analyses
tribological properties of alcohols as lubricating additives for aluminum-on-steel contact, 244
Turned steel
influence of the critical cutting speed on the surface finish of turned steel, 103
TZP
friction and wear characteristics of mullite, ZTM and TZP ceramics, 159

Unlubricated
wear engineering oxides/anti-wear oxides, 84

Vacuum
comparison of tribological characteristics of sputtered MoS_2 films coated with different apparatus, 110

Water
the effect of surface roughness on friction of ceramics sliding in water, 237
Waterjet cutting
maximum depth of cut for ceramics using abrasive waterjet technique, 216
Waterjet modeling
maximum depth of cut for ceramics using abrasive waterjet technique, 216

Water-lubricated sliding
tribological properties of silicon carbide under water-lubricated sliding, 167
Wear
sliding wear characteristics of low temperature plasma nitrided 316 austenitic stainless steel, 34
tribological evaluation of some aluminum-based materials in lubricant/refrigerant mixtures, 54
effect of chemical structure on the wear behaviour of polyurethane–urea elastomers, 145
friction and wear characteristics of mullite, ZTM and TZP ceramics, 159
study on the structure and wear resistance of two-step salt bath nitrocarburized steel, 232
Wear mechanisms
microscopic wear mechanisms of Ti ion-implanted 1C–3Cr steel, 210
study on fretting wear behavior of laser treated coatings by X-ray imaging, 250
Workpiece roughness
grinding of single crystal sapphire: workpiece roughness correlations, 1
XPS
study on lubricating mechanisms of $La(OH)_3$ nanocluster modified by compound containing nitrogen in liquid paraffin, 139
XPS analysis
preparation of DDP-coated PbS nanoparticles and investigation of the antiwear ability of the prepared nanoparticles as additive in liquid paraffin, 153
XPS and IR analyses
effect of chemical structure of organo-chlorine compounds on the lubricity of Al2024 against steel, 78
X-ray imaging
study on fretting wear behavior of laser treated coatings by X-ray imaging, 250

ZrO_2
evaluation of thermally-sprayed ceramic coatings using a novel ball-on-inclined plane scratch method, 96
ZTM
friction and wear characteristics of mullite, ZTM and TZP ceramics, 159